

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: Kool-It Evaporator and Heater Foam Cleaner

Product Code: 96030

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use: Cleaner.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: International Lubricants, Inc.

P.O. Box 24743, Seattle WA

98124-0743, USA

Telephone Number: (206) 762-5343

(800) 333-LUBE (5823)

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone CHEM TEL (800) 255-3924 **Number:** CHEM TEL (813) 248-0585

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Flammable aerosol 1
Gases under pressure - Liquefied gas
Corrosive to metals 1

Skin corrosion 1B Serious eye damage 1

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram:







Signal Word: Danger

Hazard Statement: Extremely flammable aerosol. Contains gas under pressure; may


explode if heated. May be corrosive to metals. Causes severe skin


burns and eye damage.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. -No

smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/ vapors/spray. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.







Response: Absorb spillage to prevent material damage. If swallowed: Rinse

mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50 °C/122 °F. Store in a well-ventilated place. Store in corrosive resistant container with a resistant inner liner. Store locked up.

Disposal: Dispose of contents and container in accordance with all local,

regional, national and international regulations.

2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

WHMIS Classification(s):

Class A - Compressed Gas Class B5 - Flammable Aerosol Class E - Corrosive Material

WHMIS Hazard Symbols:







WHMIS Signal Word:

DANGER

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

| Ingredient | CAS No | Wt. % |
|-----------------------------------------|------------|---------|
| Propane | 74-98-6 | 3 - 7 |
| n-Butane | 106-97-8 | 3 - 7 |
| Sodium metasilicate | 6834-92-0 | 0.1 - 1 |
| Trisodium phosphate dodecahydrate | 10101-89-0 | 0.1 - 1 |
| Ethylene glycol monobutyl ether | 111-76-2 | 0.1 - 1 |
| Tetrasodium ethylenediaminetetraacetate | 64-02-8 | 0.1 - 1 |

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Trade Name: Kool-It Evaporator and Heater Foam Cleaner


Eye: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes. If easy to do, remove contact lenses, if worn. Get

medical attention immediately.









Skin: In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention immediately.

Inhalation: If inhaled, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical attention immediately.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye: Causes severe eye damage. Symptoms may include discomfort or

pain, excess blinking and tear production, with marked redness and

swelling of the conjunctiva. May cause burns.

Skin: Causes severe skin burns. Symptoms may include irritation,

redness, pain, blisters, serious skin burns.

Inhalation: Irritating to respiratory tract.

Ingestion: Not a normal route of exposure. May be harmful if swallowed. May

cause stomach distress, nausea or vomiting. May cause burns.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to Physicians: Symptoms may not appear immediately.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

Section 5: FIRE-FIGHTING MEASURES

5.1 FLAMMABILITY

Flammability: Flammable by WHMIS/OSHA criteria.

5.2 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available. Sensitivity to Static Discharge: Not available.


5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS. PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.





6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

> then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Scoop up material and place in a disposal container. Provide ventilation. Methods for Cleaning-Up:

Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Keep away from sources of ignition. No smoking. Do not spray on an

> open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not get in eyes, on skin, or on clothing. Do not swallow. Do not breathe dust/fume/gas/fumes/ vapor/spray. Use only in well-ventilated areas. When using do not

eat or drink. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before

eating, drinking, or smoking.

7.2 CONDITIONS FOR SAFE STORAGE. INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Keep container dry. Protect from

> sunlight. Do not store at temperatures above 49 °C / 120 °F. Store in a well-ventilated place. Store in corrosive resistant container with a

resistant inner liner. Store locked up. (See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

| Occupational Exposure Limits | | |
|-----------------------------------------|----------------------------------|----------------|
| Ingredient | OSHA-PEL | ACGIH-TLV |
| Propane | 1000 ppm; 1800 mg/m ³ | 1000 ppm |
| n-Butane | Not available. | Not available. |
| Sodium metasilicate | Not available. | Not available. |
| Trisodium phosphate dodecahydrate | Not available. | Not available. |
| Ethylene glycol monobutyl ether | 50 ppm; 240 mg/m ³ | 20 ppm |
| Tetrasodium ethylenediaminetetraacetate | Not available. | Not available. |

8.2 EXPOSURE CONTROLS

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust.

fume, vapour, etc.) below recommended exposure limits.

8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Wear approved eye protection (properly fitted dust- or splash-proof

chemical safety goggles) and face protection (face shield).

Print date: 2015-04-29

Skin Protection:

Hand Protection: Wear chemically resistant protective gloves.

Body Protection: Wear suitable protective clothing.





Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

General Health and Safety

Handle according to established industrial hygiene and safety

Measures: practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Foam (when dispensed).

Color: White.

Odor: Characteristic.
Odor Threshold: Not available.

Physical State: Gas/Pressurized Liquid.

pH: 12.3

Melting Point/Freezing Point: Not available. **Initial Boiling Point and Boiling Range:** Not available. Flash Point: Not available. **Evaporation Rate:** Not available. Flammability: Flammable. **Lower Flammability/Explosive Limit:** Not available. **Upper Flammability/Explosive Limit:** Not available. **Vapor Pressure:** Not available. Vapor Density: Not available.

Relative Density/Specific Gravity: 1.0078

Solubility: Not available.

Partition coefficient: n-octanol/water: Not available.

Auto-ignition Temperature: Not available.

Decomposition Temperature: Not available.

Viscosity: 0.84 cSt @ 40 °C (104 °F)

Explosive Properties: Not available.

Oxidizing Properties: Not available.


Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.





10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5 INCOMPATIBLE MATERIALS

Metals.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

Causes severe eye damage. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and swelling of

the conjunctiva. May cause burns.

Skin: Causes severe skin burns. Symptoms may include irritation, redness,

pain, blisters, serious skin burns.

Ingestion: Not a normal route of exposure. May be harmful if swallowed. May cause

stomach distress, nausea or vomiting. May cause burns.

Inhalation: Irritating to respiratory tract.

Acute Toxicity:

| Ingredient | LC50 | LD50 |
|-----------------------------------------|-----------------------------------------|----------------------|
| Propane | Inhalation 658 mg/L 4h, rat | Not available. |
| n-Butane | Inhalation 658 g/m ³ 4h, rat | Not available. |
| Sodium metasilicate | Not available. | Oral 600 mg/kg, rat |
| Trisodium phosphate dodecahydrate | Not available. | Oral 7400 mg/kg, rat |
| Ethylene glycol monobutyl ether | Inhalation 450 ppm 4h, rat | Oral 470 mg/kg, rat |
| Tetrasodium ethylenediaminetetraacetate | Not available. | Oral 1658 mg/kg, rat |

| Calculated overall Chemical Acute Toxicity Values | | |
|---------------------------------------------------|-------------------|----------------------|
| LC50 (inhalation) LD50 (oral) LD50 (dermal) | | LD50 (dermal) |
| > 20 mg/L 4h, rat | > 2000 mg/kg, rat | > 2000 mg/kg, rabbit |

| Ingredient | Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)* |
|-----------------------------------------|---------------------------------------------------------------------------------------------|
| Propane | Not listed. |
| n-Butane | Not listed. |
| Sodium metasilicate | Not listed. |
| Trisodium phosphate dodecahydrate | Not listed. |
| Ethylene glycol monobutyl ether | G-A3, I-3 |
| Tetrasodium ethylenediaminetetraacetate | Not listed. |

^{*} See Section 15 for more information.





11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation: Causes severe skin burns.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory Sensitization:

Skin Sensitization:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-Single Exposure:

Based on available data, the classification criteria are not met.

Chronic Health Effects:

Carcinogenicity: Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Developmental: Based on available data, the classification criteria are not met.
 Teratogenicity: Based on available data, the classification criteria are not met.
 Embryotoxicity: Based on available data, the classification criteria are not met.
 Fertility: Based on available data, the classification criteria are not met.

STOT-Repeated Exposure: Based on available data, the classification criteria are not met.

Aspiration Hazard: Based on available data, the classification criteria are not met.

Toxicologically Synergistic Materials: Not available.

Other Information: Not available.

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method: This material must be disposed of in accordance with all

local, state, provincial, and federal regulations.

Print date: 2015-04-29

Other disposal recommendations: Not available.





Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

DOT TDG

UN1950 UN1950

14.2 UN PROPER SHIPPING NAME

DOT TDG

AEROSOLS, flammable AEROSOLS, flammable

14.3 TRANSPORT HAZARD CLASS (ES)

DOT TDG

2.1 2.1

14.4 PACKING GROUP

DOT TDG

Not applicable. Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.


Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

US: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

| SARA Title III | | | | |
|-----------------------------------------|---------------------------------|------------------------------|---------------------|----------------|
| Ingredient | Section 302 (EHS) TPQ (lbs.) | Section 304 EHS RQ (lbs.) | CERCLA RQ (lbs.) | Section 313 |
| Propane | Not listed. | Not listed. | Not listed. | Not listed. |
| n-Butane | Not listed. | Not listed. | Not listed. | Not listed. |
| Sodium metasilicate | Not listed. | Not listed. | Not listed. | Not listed. |
| Trisodium phosphate dodecahydrate | Not listed. | Not listed. | 5,000 | Not listed. |
| Ethylene glycol monobutyl ether | Not listed. | Not listed. | Not listed. | Not listed. |
| Tetrasodium ethylenediaminetetraacetate | Not listed. | Not listed. | Not listed. | Not listed. |





State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories:

| Ingredient | Canada DSL/NDSL | USA TSCA |
|-----------------------------------------|--------------------|-------------|
| Propane | DSL | Yes. |
| n-Butane | DSL | Yes. |
| Sodium metasilicate | DSL | Yes. |
| Trisodium phosphate dodecahydrate | No. | No. |
| Ethylene glycol monobutyl ether | DSL | Yes. |
| Tetrasodium ethylenediaminetetraacetate | DSL | Yes. |

| NFPA National Fire Protection Association: | | |
|--------------------------------------------|---|--|
| Health: 3 | | |
| Fire: | 4 | |
| Reactivity: | 0 | |

| HMIS-Hazardous Materials Identification System | | |
|------------------------------------------------|---|--|
| Health: 3 | | |
| Fire: | 4 | |
| Physical Hazard: 0 | | |

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.


NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation: April 29, 2015 Expiry Date: April 29, 2018





Version: 1.0

Revision Date: April 29, 2015

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com

Prepared for: International Lubricants, Inc.

End of Safety Data Sheet

