

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

1. Identification		
Product identifier used on the label:	CRAFTSMAN BAR&CHAIN 4/1G	
Stock Number:	CR38BC4P	
Other means of identification: Synonyms:	No data available	
Recommended use of the chemical and r	estrictions on use:	
Recommended use:	Bar & Chain Oil	
Restrictions on use:	Uses other than those described above	
Name, address, and telephone number	Warren Distribution, Inc.	
of the chemical manufacturer,	727 S. 13th Street	
importer, or other responsible party:	Omaha, NE 68102	
Phone number:	+01 (800) 825-1235 +01 (402) 341-9397	
E-mail address:	sds@wd-wpp.com	
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887	

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification:	Germ Cell Mutagenicity Category 1B
	Carcinogenicity Category 1A
	Reproductive Toxicity Category 2
	Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2
	Hazardous to the aquatic environment - Acute Category 2
	Hazardous to the aquatic environment - Chronic Category 2
Signal Word:	Danger
Hazard Statements:	May cause genetic defects.; May cause cancer.; Suspected of damaging fertility or the unborn child.; May cause damage to organs through prolonged or repeated exposure; Toxic to aquatic life; Toxic to aquatic

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P **Revision Date:** 12-05-2016 **Replaces:**

	life with long lasting effects
Precautionary Statements:	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response:	If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Collect spillage.
Storage:	Store locked up.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazards not otherwise classified:	Avoid prolonged or repeated skin contact with used fluid.
% unknown toxicity (Inhalation Gas):	24.152536 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients			
Chemical Name	Common name and synonyms	CAS #	%
Distillates, petroleum, straight- run middle	No data available	64741-44-2	0.5 - 1.5
Distillates, petroleum, hydrodesulfurized middle	No data available	64742-80-9	0.5 - 1.5
Distillates, petroleum,	No data available	68333-25-5	0.5 - 1.5

Kerosene No data available 8008-20-6 0.5 - 1.5 64741-77-1 Light hydrocracked distillate No data available 0.1 - 1

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

cracked

hydrodesulfurized light catalytic

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

Eye Contact:	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.
Skin Contact:	Wash with soap and water. Remove contaminated clothing, launder immediately, and discard contaminated leather goods. Get medical attention immediately. Seek medical advice if symptoms persist.
Ingestion:	Seek medical attention immediately or call the Poison control center. Do not induce vomiting. If patient is fully conscious, give up to two glasses of water. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	May cause damage to organs through prolonged or repeated exposure
Indication of immediate medical attention and special treatment needed, if necessary:	If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	No data available
Hazardous combustion products:	Carbon monoxide, Smoke
Special protective equipment and precautions for fire-fighters:	No data available

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Avoid release to the environment.
Methods and materials for containment and cleaning up:	Collect spillage.

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

7. Handling and storage	
Precautions for safe handling:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Conditions for safe storage, including any incompatibilities:	
Safe storage conditions:	Store locked up.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Kerosene	No PEL	200 mg/m3 TWA	No STEL	No data available
		(application		
		restricted to		
		conditions in which		
		there are negligible		
		aerosol exposures,		
		total hydrocarbon		
		vapor)		
Distillates, petroleum,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
hydrodesulfurized middle				
Petroleum distillates,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
hydrotreated middle				

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:	Do not breathe dust/fume/gas/mist/vapors/spray.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye protection:	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

Skin protection:	Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work	
Gloves:	Neoprene, Nitrile	
General hygiene conditions:	Wear protective gloves/protective clothing/eye protection/face protection.	

9. Physical and chemical properties

Appearance (physical state, color etc.):	
Physical state:	Liquid
Color:	Amber
Odor:	Mild
Odor Threshold:	Not determined
pH:	Not determined
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	Not determined
Flash Point (°C):	193
Flash Point Method:	COC
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	= 10
Lower flammability or explosive limits:	= 1
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.87

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

Solubility(ies):	Insoluble
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	96
Volatile organic compound (VOC)	0.000000
content and percentage of volatiles:	

10. Stability and reactivity	
Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	No data available
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.
	Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	No data available
Symptoms related to the physical, chemical and toxicological characteristics:	May cause damage to organs through prolonged or repeated exposure
Delayed and immediate effects and also	chronic effects from short- and long-term exposure:
Ingestion Toxicity:	Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

Skin Contact:	This material is estimated to be severely irritating (Primary Irritation Index is 6.0 - 6.5 [rabbits]).Can cause severe irritation, defatting, and dermatitis. Irritation effects may last for hours or days but will not likely result in permanent damage.
Absorption:	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	No data available
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Contains a substance that is a probable cancer hazard based on animal studies using doses likely to be encountered in the workplace.
STOT-single exposure:	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
STOT-repeated exposure:	May cause damage to organs through prolonged or repeated exposure
Aspiration hazard:	Non-hazardous under Aspiration category.
Other information:	No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates, petroleum,	OLD50 Rat 5000 mg/kg	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat
straight-run middle		mg/kg	1700 MG/M3
Distillates, petroleum,	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat
hydrodesulfurized middle	0LD30 Rat > 3000 Mg/ kg	mg/kg	4600 MG/M3
Distillates, petroleum, hydrodesulfurized light catalytic cracked	OLD50 Rat 3200 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4.65 mg/L
Kerosene	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5.28 mg/L
Light hydrocracked distillate	OLD50 Rat 3200 mg/kg	Dermal LD50 Rat > 2000 mg/kg Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4.65 mg/L

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial,	
where available):	

No data available

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability:	Biodegrades slowly.
Bioaccumulative potential:	Bioconcentration may occur.
Mobility in soil:	This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
Other adverse effects (such as hazardous to the ozone layer):	No data available
13. Disposal considerations	
Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:	Dispose of contents and container in accordance with local/regional/national/international regulations.

Contaminated packaging: R

Recycle containers whenever possible.

14. Transport information

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

Carriage of dangerous goods by road (DOT), rail or inland waterways: No data available International carriage of dangerous goods by sea (IMDG/IMO): No data available International carriage of dangerous goods by air (IATA): No data available Environmental hazards (e.g., Marine Yes pollutant (Yes/No)): Transport in bulk (according to Annex II No data available of MARPOL 73/78 and the IBC Code): Special precautions which a user needs No data available to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the US TSCA Inventory or are exempt.

Regulated C	Components:
-------------	-------------

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	N	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	N	N
Distillates, petroleum, straight- run middle	64741-44-2	Ν	Ν	N	Ν
Kerosene	8008-20-6	Ν	Ν	Ν	N
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	Ν	Ν	Ν	N

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

Distillates, petroleum, hydrodesulfurized middle	64742-80-9	Ν	Ν	Ν	Ν
Light hydrocracked distillate	64741-77-1	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated middle	64742-46-7	Ν	Ν	Ν	Ν

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν
Distillates, petroleum, straight- run middle	64741-44-2	Ν	Ν	Ν	Ν
Kerosene	8008-20-6	Ν	N	N	N
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	Ν	Ν	Ν	Ν
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	Ν	N	Ν	N
Light hydrocracked distillate	64741-77-1	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated middle	64742-46-7	Ν	Ν	Ν	Ν

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Petroleum distillates,	64742-54-7	Ν	N	Ν	N	N

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

hydrotreated heavy						
paraffinic						
Petroleum distillates,						
solvent dewaxed	64742-65-0	Ν	Ν	N	N	N
heavy paraffinic						
Distillates,						
petroleum, straight-	64741-44-2	N	Ν	N	N	N
run middle						
Kerosene	8008-20-6	Y	Y	Y	N	N
Distillates,						
petroleum,						
hydrodesulfurized	68333-25-5	N	Ν	N	N	N
light catalytic						
cracked						
Distillates,						
petroleum,	64742-80-9	Ν	Ν	N	N	N
hydrodesulfurized	04742 00 5	IN IN	IN IN			
middle						
Light hydrocracked	64741-77-1	Ν	Ν	N	N	N
distillate	· · · · · ·					
Petroleum distillates,	64742-46-7	Ν	Ν	N	N	N
hydrotreated middle	01/12 10/					

16. Other information, including date of preparation or last revis	16.	Other information	. including date of	preparation or last revision
--	-----	-------------------	---------------------	------------------------------

SDS Prepared by:	TPRUETT
Revision Date:	12-05-2016
Revision Number:	46
Reason for revision: References: Other Info:	NEW VERSION No data available No data available
Disclaimer:	This safety data sh

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in

Product identifier used on the label: CRAFTSMAN BAR&CHAIN 4/1G Stock Number: CR38BC4P Revision Date: 12-05-2016 Replaces:

> this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.