ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Feb 21, 2021

04 00 [1047]

PRODUCT NUMBER

19355056

PRODUCT NAME

ACDelco® Lacquer Touch-Up Paint, Yell-o Tintcoat (GC6 WA 386A)

MANUFACTURER'S NAME

DISTRIBUTED BY Distributed by ACDelco 300 Renaissance Center Detroit, MI 48265

Manufactured by THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue Cleveland, OH 44115

1-800-223-3526

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

19355056 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT6.82 lb/gal0.82-20 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	10	17
Butane 106-97-8	N	N	N	N	10	14
Toluene 108-88-3	N	Υ	Υ	Υ	8	8
Ethanol 64-17-5	N	N	N	N	2	2
Methyl Ethyl Ketone 78-93-3	N	Υ	N	N	7	7
Methyl Acetate 79-20-9	N	N	N	N	44	39
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	6	5

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Vanadium Compound	N	N	Υ	N	2	
Chromium Compound	N	N	Υ	Υ	0.1	

Volatile Organic Compounds - U.S. EPA / Canada

	19355056		
	LB/Gal	g/L	
Coating Density	6.82	817	
	By wt	By vol	
Total Volatiles	89.2%	93.6%	
Federally exempt solvents			
Water	0.0%	0.0%	
Methyl Acetate	44.0%	38.9%	
Acetone	0.2%	0.2%	
Organic Volatiles	45.0%	54.5%	
Percent Non-Volatile	10.8%	6.4%	
VOC Content	LB/Gal	g/L	
Total	3.07	367	
Less exempt solvents	5.03	603	
Of solids	48.16	5771	
Of solids	4.16 lb/lb	4.16 kg/kg	
	By wt		
By wt LVP-VOC	45.0%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.81

Volatile Organic Compounds - California

	19355056		
	LB/Gal	g/L	
Coating Density	6.82	817	
	By wt	By vol	
Total Volatiles	89.2%	93.6%	
Exempt solvents			
Water	0.0%	0.0%	
Methyl Acetate	44.0%	38.9%	
Acetone	0.2%	0.2%	
Organic Volatiles	45.0%	54.5%	
Percent Non-Volatile	10.8%	6.4%	
VOC Content	LB/Gal	g/L	
Total	3.07	367	
Less exempt solvents	5.03	603	
Of solids	48.16	5771	
Of solids	4.16 lb/lb	4.16 kg/kg	
	By wt		
By wt LVP-VOC	45.0%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.79

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	19355056		
	LB/Gal	g/L	
Coating Density	6.82	817	
	By wt	By vol	
Total Volatiles	89.2%	93.6%	
Exempt solvents			
Water	0.0%	0.0%	
Methyl Acetate	44.0%	38.9%	
Acetone	0.2%	0.2%	
Organic Volatiles	45.0%	54.5%	
Percent Non-Volatile	10.8%	6.4%	
VOC Content	LB/Gal	g/L	
Total	3.07	367	
Less exempt solvents	5.03	603	
Of solids	48.16	5771	
Of solids	4.16 lb/lb	4.16 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	19355056		
	By wt	By vol	
Total Volatiles	89.2%	93.6%	
VOC Content	LB/Gal	g/L	
Total	6.08	728	

Volatile Organic Compounds - EU Directive 2010/75/EU

	19355056		
	By wt	By vol	
Total Volatiles	89.2%	93.6%	
VOC Content	LB/Gal	g/L	
Total	6.08	728	

Volatile Organic Compounds - Mexico

	19355056		
	LB/Gal	g/L	
Coating Density	6.82	817	
	By wt	By vol	
Total Volatiles	89.2%	93.6%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	0.2%	0.2%	
Organic Volatiles	89.0%	93.5%	
Percent Non-Volatile	10.8%	6.4%	
VOC Content	LB/Gal	g/L	
Total	6.07	727	
Less exempt solvents	6.08	728	
Of solids	95.23	11411	
Of solids	8.22 lb/lb	8.22 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	19355056		
	LB/Gal	kg/L	
Volatile HAPS	0.54	0.064	
Of solids	8.49	1.017	
Of solids	0.73 lb/lb	0.73 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.50 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability and extractability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.