

### 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Product Code:</b>	FD GHS 101693	
<b>Product Name:</b>	WHITEWALL TIRE CLEANER	
<b>Company Name:</b>	Excelda Manufacturing 12785 Emerson Dr. Brighton, MI 48116	<b>Phone Number:</b> (248)486-3800
<b>Emergency Contact:</b>	MEDICAL EMERGENCY DOT EMERGENCY	(888)314-4052 (800)424-9300
<b>Information:</b>	INFORMATION	(248)486-3800
<b>Intended Use:</b>	Automotive Cleaning or Polishing	
<b>Synonyms:</b>		

### 2. HAZARDS IDENTIFICATION

**Flammable Liquids, Category 4**  
**Skin Corrosion/Irritation, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 1**



**Danger**

<b>GHS Hazard Phrases:</b>	H227: Combustible liquid. H315: Causes skin irritation. H318: Causes serious eye damage.
<b>GHS Precaution Phrases:</b>	P280: Wear protective gloves/protective clothing/eye protection/face protection. P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P264: Wash hands and skin thoroughly after handling. P362+364: Take off contaminated clothing and wash it before reuse.
<b>GHS Response Phrases:</b>	P370+378: In case of fire, use CO <sub>2</sub> , dry chemical or alcohol resistant foam to extinguish. P302+352: IF ON SKIN: Wash with plenty of soap and water. P321: Specific treatment see first aid section on the product container label. P332+313: If skin irritation occurs, get medical advice/attention. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor.
<b>GHS Storage and Disposal Phrases:</b>	P403+235: Store in cool/well-ventilated place. P501: Dispose of contents/container to licensed disposal facility.
<b>Potential Health Effects (Acute and Chronic):</b>	EYES: Can cause severe eye irritation or chemical burns.  SKIN: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).  INGESTION: May cause burns, ulceration or, in extreme cases, perforation.  INHALATION: Vapors or mist, in excess of permissible concentrations, or in unusually high concentrations generated from spraying, heating the material or as from exposure in poorly ventilated areas or confined spaces, may cause irritation of the nose and throat, headache, nausea, drowsiness, cough, discomfort or difficulty in breathing.
<b>Medical Conditions Generally</b>	Because of its irritating properties, repeated skin contact may aggravate an existing

# SAFETY DATA SHEET

## WHITEWALL TIRE CLEANER

Page: 2

Printed: 01/16/2015

Revision: 11/04/2014

Supersedes Revision: 10/24/2007

**Aggravated By Exposure:** dermatitis.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Chemical Name	Concentration	RTECS #	Molecular Formula
7732-18-5	Water	90.0 -92.0 %	ZC0110000	H2O
6834-92-0	Silicic acid (H2SiO3), Disodium salt	2.0 -4.0 %	VV9275000	Na2O3Si
7758-29-4	Sodium phosphate, Tribasic	2.0 -4.0 %	YK4570000	Na5O10P3
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched	2.0 -4.0 %	RB2451000	C9H19C6H4(OCH2CH2)9OH
67-63-0	Isopropyl alcohol	2.0 -4.0 %	NT8050000	(CH3)2CHOH
34590-94-8	Propanol, (2-Methoxymethylethoxy)-	0.5 -0.75 %	JM1575000	CH3OC3H6OC3H6OH
25322-68-3	Polyethylene glycol	0.0 -0.1 %	TQ3500000	H(OCH2CH2)nOH
9014-93-1	Dinonylphenyl polyoxyethylene	0.05 -0.075 %	NA	(C2H4O)nC24H42O
7785-84-4	Sodium phosphate, tribasic	0.0 -0.05 %	OY4025000	H3O9P3.3Na
7722-88-5	Diphosphoric acid, Tetrasodium salt	0.0 -0.05 %	UX7350000	Na4O7P2
14233-37-5	1,4-Bis(isopropylamino)anthraquinone	0.0 -0.001 %	NA	C20H22N2O2
75-21-8	Ethylene oxide	< 0.75 PPM	KX2450000	C2H4O
123-91-1	1,4-Dioxane	< 0.5 PPM	JG8225000	C4H8O2

### 4. FIRST AID MEASURES

**Emergency and First Aid**

EYES: Flush eye with water for 15 minutes. Get medical attention.

**Procedures:**

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

INHALATION: If inhaled, remove from exposure.

**Signs and Symptoms Of Exposure:**

EYES: Irritation, redness, and/or burning sensation.

SKIN: Irritation, redness, itching, and/or discomfort.

INHALATION: Irritation, cough, discomfort, drowsiness, or difficulty in breathing.

INGESTION: Irritation, burning sensation, or other discomfort of the mouth, throat and stomach.

# SAFETY DATA SHEET

## WHITEWALL TIRE CLEANER

### 5. FIRE FIGHTING MEASURES

<b>Flash Pt:</b>	144.00 F (62.2 C) Method Used: Pensky-Marten Closed Cup
<b>Explosive Limits:</b>	LEL: N.D. UEL: N.D.
<b>Autoignition Pt:</b>	N.D.
<b>Suitable Extinguishing Media:</b>	Dry Chemicals, CO2 or Alcohol Resistant Foam. Water spray may be used to keep containers cool.
<b>Unsuitable Extinguishing Media:</b>	Water jet.
<b>Fire Fighting Instructions:</b>	As with all fires involving chemicals, responders should wear full bunker gear including a self-contained breathing apparatus. Cool containers to keep them from bursting, and remove from high heat areas if possible. Do not direct a solid stream of water at pools of released liquid that are burning since it may cause spattering of the burning liquid.
<b>Flammable Properties and Hazards:</b>	Material contains flammable ingredients which may cause an ignitable mixture with air at or above the flash point of the material.

### 6. ACCIDENTAL RELEASE MEASURES

<b>Protective Precautions, Protective Equipment and Emergency Procedures:</b>	Use protective equipment as specified in Section 8 of this SDS.
<b>Environmental Precautions:</b>	Prevent product from discharging into sewers, drains, waterways, or the environment.
<b>Steps To Be Taken In Case Material Is Released Or Spilled:</b>	Ventilate the area. Contain and use non-sparking equipment to collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal.

### 7. HANDLING AND STORAGE

<b>Precautions To Be Taken in Handling:</b>	Do not get in eyes, on skin or clothing. Avoid prolonged or repeated contact with skin. Use in ventilated area. Do not use on, or near, sources of heat, sparks or open flame.
<b>Precautions To Be Taken in Storing:</b>	Store containers in cool well ventilated area away from sources of heat, sparks, open flame, or direct sunlight. Keep away from incompatible materials including strong acids and oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7732-18-5	Water	No data.	No data.	No data.
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	No data.	No data.	No data.
7758-29-4	Sodium phosphate, Tribasic	No data.	No data.	No data.
127087-87-0	Poly(oxy-1,2-ethanediyl), .alpha.-(4-non ylphenyl)-.omega.-hydroxy-, branched	No data.	No data.	No data.
67-63-0	Isopropyl alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.
34590-94-8	Propanol, (2-Methoxymethylethoxy)-	PEL: 100 ppm	TLV: 100 ppm STEL: 150 ppm	No data.
25322-68-3	Polyethylene glycol	No data.	No data.	No data.
9014-93-1	Dinonylphenyl polyoxyethylene	No data.	No data.	No data.
7785-84-4	Sodium phosphate, tribasic	No data.	No data.	No data.
7722-88-5	Diphosphoric acid, Tetrasodium salt	No data.	TLV: 5 mg/m <sup>3</sup>	No data.
14233-37-5	1,4-Bis(isopropylamino)anthraquinone	No data.	No data.	No data.

# SAFETY DATA SHEET

## WHITEWALL TIRE CLEANER

Page: 4

Printed: 01/16/2015  
Revision: 11/04/2014  
Supersedes Revision: 10/24/2007

75-21-8	Ethylene oxide	PEL: 1 ppm STEL: 5 ppm (15 min)	TLV: 1 ppm	No data.
123-91-1	1,4-Dioxane	PEL: 100 ppm	TLV: 20 ppm	No data.

<b>Respiratory Equipment (Specify Type):</b>	None expected to be required during normal usage. In extreme conditions where mists, or vapors are generated in high quantities or if used in confined spaces a NIOSH/OSHA approved respirator may be required.
<b>Eye Protection:</b>	Safety glasses, chemical safety goggles. A face shield in conjunction with safety goggles is recommended to prevent eye contact when mists, vapors, or spray are generated.
<b>Protective Gloves:</b>	Rubber, neoprene or other chemical resistant gloves.
<b>Other Protective Clothing:</b>	Sufficient to prevent skin contact.
<b>Engineering Controls (Ventilation etc.):</b>	General ventilation is sufficient for normal usage. If used in a confined space or in such manner as generates excessive mists or vapors, local ventilation may need to be provided to maintain air concentration levels below the OSHA permitted amounts.
<b>Work/Hygienic/Maintenance Practices:</b>	Do not smoke while using. Wash hands after use. Remove clothing if it becomes wetted from liquid and may come in contact with eyes or skin. Launder clothes before reuse. Use good personal hygiene at all times.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical States:</b>	[ ] Gas [ X ] Liquid [ ] Solid
<b>Appearance and Odor:</b>	Clear blue liquid alcoholic odor.
<b>Melting Point:</b>	N.D.
<b>Boiling Point:</b>	N.D.
<b>Decomposition Temperature:</b>	N.D.
<b>Autoignition Pt:</b>	N.D.
<b>Flash Pt:</b>	144.00 F (62.2 C) Method Used: Pensky-Marten Closed Cup
<b>Explosive Limits:</b>	LEL: N.D. UEL: N.D.
<b>Specific Gravity (Water = 1):</b>	1.01 - 1.03 at 25.0 C (77.0 F)
<b>Vapor Pressure (vs. Air or mm Hg):</b>	NA
<b>Vapor Density (vs. Air = 1):</b>	NA
<b>Evaporation Rate:</b>	NA
<b>Solubility in Water:</b>	complete at 25.0 C (77.0 F)
<b>Viscosity:</b>	NA
<b>Octanol/Water Partition Coefficient:</b>	Not Avail.
<b>pH:</b>	11.5 - 13.0
<b>Percent Volatile:</b>	N.D.
<b>VOC / Volume:</b>	< 3.0000 WT%

### 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Unstable [ ] Stable [ X ]
<b>Conditions To Avoid - Instability:</b>	Heat, sparks, open flame
<b>Incompatibility - Materials To Avoid:</b>	Strong acids and oxidizing agents.
<b>Hazardous Decomposition Or Byproducts:</b>	Oxides of carbon
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ] Will not occur [ X ]

**SAFETY DATA SHEET**  
**WHITEWALL TIRE CLEANER**

**Conditions To Avoid -** None known.  
**Hazardous Reactions:**

**11. TOXICOLOGICAL INFORMATION**

**Toxicological Information:** Expected routes of entry include:  
Eye and skin contact  
Inhalation

This product may cause:

Eye damage  
Chemical burns or severe irritation to skin

CAS# 6834-92-0: Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), Disodium salt:

Acute toxicity, LD50, Oral, Rat, 1153. MG/KG.

Result:

Gastrointestinal:Ulceration or bleeding from stomach.

Gastrointestinal:Ulceration or bleeding from duodenum.

Gastrointestinal:Ulceration or bleeding from small intestine.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000 AE Netherlands, Vol/p/yr: 31(Suppl),, 1986

Standard Draize Test, Skin, Species: Rabbit, 250.0 MG, 24 H, Severe.

Result:

Lungs, Thorax, or Respiration:Other changes.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 31,481, 1975

CAS# 67-63-0: Isopropyl alcohol:

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, Severe.

Result:

Lungs, Thorax, or Respiration:Structural or functional change in trachea or bronchi.

Lungs, Thorax, or Respiration:Acute pulmonary edema.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 7722-88-5: Diphosphoric acid, Tetrasodium salt:

Acute toxicity, LD50, Oral, Rat, 4.000 GM/KG.

Result:

Kidney, Ureter, Bladder: Changes in liver weight.

Blood:Other hemolysis with or without anemia.

Blood:Changes in spleen.

- Arzneimittel-Forschung. Drug Research. (Editio Cantor Verlag,, Vol/p/yr: 7,172, 1957

Acute toxicity, LD (Lethal dose), Skin, Species: Rabbit, 300.0 MG/KG.

Result:

Behavioral: Convulsions or effect on seizure threshold.

Behavioral: Muscle weakness.

Related to Chronic Data - death.

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,47, 1990

EYES: Irritation, redness, and/or burning sensation.

**Symptoms related to Toxicological Characteristics:**

# SAFETY DATA SHEET

## WHITEWALL TIRE CLEANER

SKIN: Irritation, redness, itching, and/or discomfort.

INHALATION: Irritation, cough, discomfort, drowsiness, or difficulty in breathing.

INGESTION: Irritation, burning sensation, or other discomfort of the mouth, throat and stomach.

**Sensitization:**

This product may contain trace amounts of substances known to be skin sensitizers. At the levels of the substance is present, this product is not expected to result in any sensitization in the general population.

**Chronic Toxicological Effects:**

EYES: Can cause severe eye irritation or chemical burns.

SKIN: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

INGESTION: May cause burns, ulceration or, in extreme cases, perforation.

INHALATION: Vapors or mist, in excess of permissible concentrations, or in unusually high concentrations generated from spraying, heating the material or as from exposure in poorly ventilated areas or confined spaces, may cause irritation of the nose and throat, headache, nausea, drowsiness, cough, discomfort or difficulty in breathing.

**Carcinogenicity/Other Information:**

This product does not contain any OSHA carcinogens at a level greater than 0.1%.

CAS #	Chemical Name	NTP	IARC	ACGIH	OSHA
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	n.a.	n.a.	n.a.	n.a.
7758-29-4	Sodium phosphate, Tribasic	n.a.	n.a.	n.a.	n.a.
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched	n.a.	n.a.	n.a.	n.a.
67-63-0	Isopropyl alcohol	n.a.	3	A4	n.a.
34590-94-8	Propanol, (2-Methoxymethylethoxy)-	n.a.	n.a.	n.a.	n.a.
25322-68-3	Polyethylene glycol	n.a.	n.a.	n.a.	n.a.
9014-93-1	Dinonylphenyl polyoxyethylene	n.a.	n.a.	n.a.	n.a.
7785-84-4	Sodium phosphate, tribasic	n.a.	n.a.	n.a.	n.a.
7722-88-5	Diphosphoric acid, Tetrasodium salt	n.a.	n.a.	n.a.	n.a.
14233-37-5	1,4-Bis(isopropylamino)anthraquinone	n.a.	n.a.	n.a.	n.a.
75-21-8	Ethylene oxide	Known	1	A2	Yes
123-91-1	1,4-Dioxane	Possible	2B	A3	n.a.

## 12. ECOLOGICAL INFORMATION

**General Ecological Information:**

The exotoxicity of this product as a whole has not been determined. It does contain up to 3% nonylphenyl compounds.

# SAFETY DATA SHEET

## WHITEWALL TIRE CLEANER

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Due to the allowable pH tolerances of this product, this product may have a pH greater than 12.5, and as such be a RCRA characteristic based hazardous waste. It is the duty of the user of this product to determine if this product is hazardous at the time of disposal.

All notification, clean up and disposal should be carried out in accordance with federal, state and local regulations. Preferred methods of waste disposal are incineration or biological treatment in federal/state approved facility.

### 14. TRANSPORT INFORMATION

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Corrosive liquid, n.o.s. (sodium metasilicate)

**DOT Hazard Class:** 8 CORROSIVE

**UN/NA Number:** UN1760

**Packing Group:** III

#### LAND TRANSPORT (European ADR/RID):

**ADR/RID Shipping Name:**

**UN Number:** 1760

**Packing Group:** III

**Hazard Class:** 8 - CORROSIVE

#### Additional Transport Information:

DOT Hazard determination may be reclassified according to 49 CFR 173.154.

While this product may contain up to 3% nonylphenyl compounds, it is not considered a Marine Pollutant under 49 CFR 171.8.

Note: The information provided in Section 14 is based on the rules and regulations governing the shipment of non-bulk containers and may not apply when using bulk packaging to ship this material.

### 15. REGULATORY INFORMATION

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Chemical Name	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7732-18-5	Water	No	No	No
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	No	No	No
7758-29-4	Sodium phosphate, Tribasic	No	Yes 5000 LB	No
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched	No	No	No
67-63-0	Isopropyl alcohol	No	No	Yes
34590-94-8	Propanol, (2-Methoxymethylethoxy)-	No	No	No
25322-68-3	Polyethylene glycol	No	No	No
9014-93-1	Dinonylphenyl polyoxyethylene	No	No	No
7785-84-4	Sodium phosphate, tribasic	No	Yes 5000 LB	No
7722-88-5	Diphosphoric acid, Tetrasodium salt	No	No	No
14233-37-5	1,4-Bis(isopropylamino)anthraquinone	No	No	No
75-21-8	Ethylene oxide	Yes 1000 LB	Yes 10 LB	Yes
123-91-1	1,4-Dioxane	No	Yes 100 LB	Yes

This material meets the EPA  Yes  No Acute (immediate) Health Hazard

'Hazard Categories' defined  Yes  No Chronic (delayed) Health Hazard

# SAFETY DATA SHEET

## WHITEWALL TIRE CLEANER

**for SARA Title III Sections**     Yes    No    Fire Hazard  
**311/312 as indicated:**         Yes    No    Sudden Release of Pressure Hazard  
    Yes    No    Reactive Hazard

CAS #	Chemical Name	Other US EPA or State Lists
7732-18-5	Water	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
7758-29-4	Sodium phosphate, Tribasic	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; CA PROP.65: No
67-63-0	Isopropyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No
34590-94-8	Propanol, (2-Methoxymethylethoxy)-	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 8A PAIR; CA PROP.65: No
25322-68-3	Polyethylene glycol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
9014-93-1	Dinonylphenyl polyoxyethylene	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
7785-84-4	Sodium phosphate, tribasic	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
7722-88-5	Diphosphoric acid, Tetrasodium salt	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
14233-37-5	1,4-Bis(isopropylamino)anthraquinone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
75-21-8	Ethylene oxide	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: Yes
123-91-1	1,4-Dioxane	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 8A CAIR; CA PROP.65: Yes

**Regulatory Information:**        TSCA: All ingredients in this product are listed on the TSCA Inventory or are otherwise exempt.

CA Prop 65: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

**Regulatory Information Statement:**    The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes all risk in use of the material.



**SAFETY DATA SHEET**  
**WHITEWALL TIRE CLEANER**

**16. OTHER INFORMATION**

**Revision Date:** 11/04/2014

**Preparer Name:** Compliance Department 248-486-3800

**Additional Information About This Product:** As the ingredient information provided in this MSDS is considered confidential by Excelda Manufacturing, this entire MSDS is considered confidential by Excelda Manufacturing. This MSDS is being provided per one or more agreements between Excelda Manufacturing and the recipient and may be used solely in conjunction with the terms and conditions of such agreement(s). Any distribution, release, disclosure or use of this information beyond that listed here is prohibited by Excelda Manufacturing, except as required by law.

**Company Policy or Disclaimer:** THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IS ACCURATE TO THE BEST KNOWLEDGE OF EXCELDA MANUFACTURING. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN. EXCELDA MANUFACTURING ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THIS DATA.