

# Safety Data Sheet

Issue Date: 05-Dec-2018

Revision Date: 07-Dec-2018

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** SuperTech De-Icer Windshield Wash -25°F

### Other means of identification

**SDS/Part #** 237191-W35

**UN/ID No** UN1993

### Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

FMP  
1380 Corporate Center Curve, Suite 200  
Eagan, MN 55121  
Phone: 888-784-0802

#### **Emergency telephone number**

**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Purple liquid

**Physical state** Liquid

**Odor** Slight alcohol

### Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

### Signal Word

**Danger**

### Hazard statements

Harmful if swallowed  
Toxic in contact with skin  
Toxic if inhaled  
Causes damage to organs  
Flammable liquid and vapor



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Use only outdoors or in a well-ventilated area  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use explosion-proof equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Keep cool  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF exposed: Call a POISON CENTER or doctor  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
 Wash contaminated clothing before reuse  
 Call a POISON CENTER or doctor if you feel unwell  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 Call a POISON CENTER or doctor  
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
 Rinse mouth  
 IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Methanol	67-56-1	30-35

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST AID MEASURES

**Description of first aid measures**

<b>General Advice</b>	IF exposed: Call a POISON CENTER or doctor/physician.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin Contact</b>	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a poison center or doctor/physician if you feel unwell.
<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.
<b>Ingestion</b>	Call a poison center or doctor/physician if you feel unwell. Rinse mouth.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Harmful if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes damage to organs.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use CO2, dry chemical, or foam for extinction.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Flammable liquid and vapor.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on Safe Handling** Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Keep cool. Wear protective gloves/protective clothing and eye/face protection.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Incompatible Materials** None known based on information supplied.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Slight alcohol
<b>Appearance</b>	Purple liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Purple		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
<b>pH</b>	8.0		
<b>Melting point / freezing point</b>	-32 °C / -25.6 °F		
<b>Boiling point / boiling range</b>	83 °C / 181.4 °F		
<b>Flash point</b>	30 °C / 86 °F		
<b>Evaporation Rate</b>	Not determined		
<b>Flammability (Solid, Gas)</b>	Liquid-Not applicable		
<b>Flammability Limit in Air</b>			
<b>Upper flammability or explosive limits</b>	Not determined		
<b>Lower flammability or explosive limits</b>	Not determined		
<b>Vapor Pressure</b>	Not determined		
<b>Vapor Density</b>	Not determined		
<b>Relative Density</b>	0.948		
<b>Water Solubility</b>	Not determined		
<b>Solubility in other solvents</b>	Not determined		
<b>Partition Coefficient</b>	Not determined		
<b>Autoignition temperature</b>	Not determined		
<b>Decomposition temperature</b>	Not determined		
<b>Kinematic viscosity</b>	Not determined		
<b>Dynamic Viscosity</b>	Not determined		
<b>Explosive Properties</b>	Not determined		
<b>Oxidizing Properties</b>	Not determined		

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible materials

None known based on information supplied.

### Hazardous decomposition products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	Toxic in contact with skin.
<b>Inhalation</b>	Toxic if inhaled.
<b>Ingestion</b>	Harmful if swallowed.

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol 67-56-1	= 6200 mg/kg ( Rat )	= 15840 mg/kg ( Rabbit ) = 15800 mg/kg ( Rabbit )	= 22500 ppm ( Rat ) 8 h = 64000 ppm ( Rat ) 4 h

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Carcinogenicity</b>	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
<b>STOT - single exposure</b>	Causes damage to organs.

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

<b>Oral LD50</b>	311.53 mg/kg
<b>Dermal LD50</b>	934.60 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	1.56 mg/L
<b>ATEmix (inhalation-vapor)</b>	9.35 mg/L

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methanol 67-56-1		18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through	

### Persistence/Degradability

Not determined.

### Bioaccumulation

There is no data for this product.

### Mobility

Chemical name	Partition coefficient
Methanol 67-56-1	-0.77

### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

#### **Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol 67-56-1		Included in waste stream: F039		U154

### California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Methanol 67-56-1	Toxic Ignitable

## 14. TRANSPORT INFORMATION

### Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

UN/ID No UN1993  
 Proper Shipping Name Flammable liquids, n.o.s. (Methanol)  
 Hazard class 3  
 Packing Group III

**IATA**

UN number UN1992  
 Proper Shipping Name Flammable liquid, toxic, n.o.s. (Methanol)  
 Transport hazard class(es) 3  
 Subsidiary hazard class 6.1  
 Packing Group III

**IMDG**

UN number UN1992  
 Proper Shipping Name Flammable liquid, toxic, n.o.s. (Methanol)  
 Transport hazard class(es) 3  
 Subsidiary Hazard Class 6.1  
 Packing Group III

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Methanol	X	X	X	X	X	X	X	X

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol 67-56-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**SARA 313**

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methanol - 67-56-1	67-56-1	30-35	1.0

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methanol 67-56-1	X	X	X

<b>16. OTHER INFORMATION</b>
------------------------------

**NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

Not determined

**Flammability**

Not determined

**Physical hazards**

Not determined

**Personal Protection**

Not determined

**Issue Date:** 05-Dec-2018

**Revision Date:** 07-Dec-2018

**Revision Note:** New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**



SUPERTECH -25°F De-Icer

Raw Material	CAS#	Functional Purpose	List of Concern	Link to Lists of Concern
Water	7732-18-5			
Methanol	67-56-1	Freeze point reducer	CA Prop 65 US NTP Reproductive or Developmental Toxicants CA Non-Cancer Hazards	<a href="https://oehha.ca.gov/proposition-65/proposition-65-list">https://oehha.ca.gov/proposition-65/proposition-65-list</a> <a href="https://ntp.niehs.nih.gov/whatwestudy/assessments/noncancer/completed/index.html">https://ntp.niehs.nih.gov/whatwestudy/assessments/noncancer/completed/index.html</a> <a href="https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary">https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary</a> <a href="https://ntp.niehs.nih.gov/ntp/ohat/methanol/methanol_monograph.pdf">https://ntp.niehs.nih.gov/ntp/ohat/methanol/methanol_monograph.pdf</a>
DYE - 1.85015 LIQUINT NT BLUE HP	1115323*	Dye/colorant		
DYE - 1.83022 LIQUINT NT RED ST	1116737*	Dye/colorant		
Denatonium Benzoate (Bitter)	3734-33-6	Bittering Agent		

\*WERKS#

[https://leginfo.ca.gov/faces/jsp/NavigationClient.xhtml?bill\\_id=20172018058258](https://leginfo.ca.gov/faces/jsp/NavigationClient.xhtml?bill_id=20172018058258)